



The
**Patent
Office**

£ A J U

PCT/GB 9 9 / 0 0 9 8 7



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP9 1RH

REC'D 0 6 MAY 1999

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed


Dated

25 MAR 1999

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

THIS PAGE BLANK (USPTO)



05 NOV 1998

05NOV98 E402230-1 D02855
P01/7700 0.00 - 9824100.3

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference 1/P32243GB

2. Patent application number
(The Patent Office will fill in this part)

9824100.3

3. Full name, address and postcode of the or of each applicant. (underline all surnames) VODAFONE LIMITED
The Courtyard, 2-4 London Road,
Newbury, Berkshire
RG14 1JX

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation U.K.

6227912002

4. Title of the invention CELLULAR TELEPHONE ARRANGEMENTS

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom MATHISEN, MACARA & CO.
to which all correspondence should be sent The Coach House, 6-8 Swakeleys Road,
(including the postcode) Ickenham, Uxbridge, UB10 8BZ

Patents ADP number (if you know it) 1073001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)
	U.K.	9806924.8	31-Mar-1998

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

c) any named applicant is a corporate body

See note (d))

Yes

THIS PAGE BLANK (USPTO)

Patents Form 1/77


Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description 11

Claim(s) 6

Abstract 1

Drawing(s) 7 

10. If you are also filing any of the following,
state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 1 ✓

Request for preliminary examination and search (Patents Form 9/77) 1 ✓

Request for substantive examination (Patents Form 10/77)

Any other documents 0
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature
MATHISEN, MACARA & CO.

Date 04/11/98

12. Name and daytime telephone number of person to contact in the United Kingdom MR D.M. FOSTER
01895-678831

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication of communication of the invention should be prohibited or restricted under Section 22 or the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patent Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

THIS PAGE BLANK (uspto)

CELLULAR TELEPHONE ARRANGEMENTS

The invention relates to cellular telephone arrangements. Cellular telephone arrangements embodying the invention, and to be described in more detail below by way of example only, are intended to provide base station and antenna arrangements for use mainly in urban environments, but may be used in other environments.

According to the invention, there is provided an informational street sign, additionally incorporating or carrying at least part of a base station-antenna combination for a cellular telephone system.

According to the invention, there is further provided an item of street furniture, additionally incorporating or carrying an antenna for the base station of a cellular telephone system in combination with an enclosure for containing the circuitry of the base station, the enclosure being the same enclosure which includes circuitry for use in the principal function of the item of street furniture.

According to the invention, there is also provided an enclosure for the circuitry of a base station of a cellular telephone

system which receives signals from and supplies signals to an antenna of the system, the enclosure including further circuitry for controlling an item of street furniture.

According to the invention, there is yet further provided a drain pipe or simulated drain pipe for mounting on an external surface of a building, incorporating therewithin an antenna for a base station of a cellular telephone system.

Cellular telephone base stations and antenna arrangements embodying the invention will now be described, by way of example only, with reference to the accompanying diagrammatic drawings in which:

Figure 1 is a perspective view of one embodiment of the invention;

Figure 2 is a perspective view of another embodiment of the invention;

Figure 3 is an internal view of a housing forming part of the embodiment illustrated in Figure 2; and

Figures 4,5,6,7 and 8 are elevational views of further embodiments.

Cellular telephone systems require a number of geographically distributed base stations each having a transmitting and receiving antenna by means of which radio signals are transmitted to and from mobile cellular telephones temporarily located within the area covered by the base station. Such signals include signals to and from the mobile telephone for registering its presence within that particular area and for use in recording that location in a visitor location register or in some other part of the system, signals for authenticating the mobile telephone to enable calls to be made to and from it, signals carrying voice, data or other digital information from the mobile telephone or other such equipment to other telephones (mobile or fixed), and signals carrying voice, data or other digital information from such other telephones to the mobile telephone or other such equipment. When the mobile telephone moves from within the transmitting/receiving area of the antenna of one base station and into the corresponding area of another base station, the mobile is "handed over" to the new base station. To provide effective operation of a mobile telephone it is of course essential that base stations and their associated antennas be positioned sufficiently close together to provide uninterrupted operation, taking account of the local environment. In particular, problems can arise in urban environments. Firstly, large and solid buildings within an urban environment may limit the effective range of each base station, requiring the base

stations to be closer together than they might be in a more open or rural environment. Secondly, local planning authorities may be very reluctant to allow a proliferation of base stations and their associated antennas within urban, suburban or rural environments.

According to a feature of the embodiments being described, therefore, at least part of a base station-antenna combination is located in and/or on an item of street furniture - such as (for example) a lamp post, a support post for close circuit television (CCTV) apparatus, posts for traffic lights, direction signs or road signs in general, shop signs, litter bins and any other suitable item of street furniture - or an item forming part of the structure of a building such as a rain-water drain pipe. In this way, therefore, a base station-antenna combination can be physically situated within an urban environment without having substantially any additional physical or visual effects on the environment. Thus, the item of street furniture, or being part of the structure of a building, on which the base station-antenna combination is mounted, or in which part only of that combination is mounted, is present in the environment or is already accepted into the environment due to its appearance, and the additional visible part may only comprise the base station antenna which is small and of minimal visual impact. In many cases, the circuitry of the base station may be incorporated in an enclosure which is

already part of the item of street furniture - for example, the enclosure forming the lower part of a lamp post or a CCTV post as will be described in more detail below.

Figure 1 shows a lamp post comprising a mast 5 carrying a lamp unit 6 and having an enlarged enclosure 8 at its foot which will include control circuitry for the lamp unit 6 such as its power supply and a timer or possibly a photo-electric control unit. In accordance with a feature of the invention, one or more antennas 10,12 is also mounted on the mast 6, these antennas being antennas of a base station of a cellular telephone system. In this embodiment, the circuitry of the base station is mounted in an additional enclosure 14 which is positioned on the ground, adjacent the foot of the mast 5 and is connected to the antennas 10,12.

The antennas 10,12 are small in size and mounted considerably above pedestrians and traffic. They will therefore have minimal visual impact. The enclosure 14 is also small in size and of standard street furniture appearance. Because of this, and because it is mounted immediately adjacent the foot of the lamp post mast 5, it also will have only a small physical and visual impact.

In a modification, however, the circuitry of the base station can

be mounted within the enclosure 8 of the lamp post itself, instead of in a separate enclosure 14. In such a case, it may be necessary to enlarge the enclosure 8 but this may be done to an extent which is hardly noticeable.

In another modification, the enclosure 14 is not mounted immediately adjacent to the lamp post but is mounted a short distance away, such as on, in or immediately adjacent to a neighbouring building and connected to the lamp post and the antennas 10,12 via connections under the pavement or roadway. If such an enclosure 14 is mounted outside the building, it can be shaped and coloured, relative to the shape and colour of the building, so that, again, it has minimal physical or visual impact.

In Figure 2, a mast 20 for supporting a CCTV camera 22 has an enclosure 24 in which is located the control and power circuits for the camera, such as for energising and adjusting the attitude of the camera. In accordance with a feature of the invention, the mast 20 also carries an antenna 26 which is the antenna of a cellular telephone base station. In this example, the circuitry for the base station can be located within the enclosure 24 if it is of a suitable size. Again, however, the circuitry for the base station could be incorporated within a separate enclosure located either immediately near the enclosure

24 or at some other location where its physical and visual impact is small.

In the case of the embodiment shown in Figure 2, where the enclosure 24 will incorporate circuitry of some complexity for energising and controlling the CCTV camera 22, it may advantageously be possible to arrange for at least some of the circuitry for the camera and for the base station to be common - such as the power supply and perhaps some of the processing circuitry for the signals to be transmitted to and from a distant location. The use of such common circuitry enables the size of the enclosure 24 to be reduced.

Figure 3 illustrates an internal view of one form which the housing 24 can take. As shown, it comprises a metal casing 25 having an access door 26 and with a vertically arranged support plate 27. The latter carries a number of circuit units. Unit 28 is the circuitry for the base station. Unit 29 is the circuitry for the CCTV camera 22. These units are of course connected to the antenna 26 and to the camera 22 respectively (see Figure 2).

Each unit 28,29 requires a power supply. Power is obtained from a common power supply unit 30 which is energised by the local mains supply (normally via an underground connection, not shown)

and provides the appropriate output supplies for the units 28 and 29.

Each unit 28,29 also requires input and output signal lines. Thus, the base station unit 29 receives input signals for controlling its operation and for carrying telecommunications signals between the base station and the central switch of the cellular telephone system (that is, signals relating to telephone calls made to and by the mobile telephones within the cell serviced by the base station). The camera 22 receives input signals for controlling its operation and produces output signals carrying the camera output to the central monitoring station. These input and output signals to and from the units 28 and 29 are supplied via the local PSTN network, through a unit 31. Unit 31 is connected to the local PSTN lines (normally by underground connections, not shown), and feeds the appropriate signals to and receives them from the units 28 and 29. A significant amount of the circuitry in the unit 31 is common to the operation of the base station and the camera.

Because the power unit 30 and the signalling unit 31 are common to the base station unit 28 and the CCTV unit 29, efficient use is made of the space within the housing 24 which can thus be of minimum size.

Advantageously, the housing 24 is provided with a cooling system to limit any rise in temperature caused by heat generated by the equipment within the housing and by the external ambient temperature. As shown in Figure 3, this cooling may be provided by a fan 32 which draws fresh air into the casing 25 through inlet grills or openings 33 and blows hot air out through exit grills or openings 34. It is found that satisfactory cooling can be achieved, without generating more than minimal noise. Instead, however, more sophisticated air management or cooling may be provided, such as air-conditioning and possibly including means for controlling the ambient temperature within the enclosure.

In a modification of the housing 24 of Figure 3, for use with a lamp post such as shown in Figure 1, the unit 29 which in Figure 3 controls the camera 22 may be replaced by a unit which controls the lamp 6. This unit would receive power from the common power supply 30 and could receive control signals via the unit 31. Again, such a housing could be provided with a cooling fan and grills or openings like the housing 24 of Figure 3, or more sophisticated air management or cooling arrangements, such as air-conditioning and temperature control arrangements.

Figure 4 shows a view along a road within an urban environment, showing the road surface 36, the pavement 38, and a building 40

carrying a sign 42 such as bearing the name of a shop in the building or being some other advertising or informational sign for example. The Figure shows an enclosure 44 in which is incorporated the circuitry of a base station for a cellular telephone system. The circuitry is connected via suitably concealed connections to an antenna 46 mounted on or in the sign 42. Again, therefore, the antenna 46 has minimal physical and visual impact or is invisible, and the enclosure 38 is designed to achieve the same end.

In an advantageous modification of the arrangement shown in Figure 4, the enclosure 44 may be located within the building so as to have no external physical or visual impact, as shown dotted at 44A.

Figure 5 shows a modification of the arrangement shown in Figure 4. In Figure 5, the antenna is shown dotted at 48, being mounted within the sign 42 and therefore completely invisible.

In the embodiments shown in Figures 6 and 7, the sign 42 is mounted flat on the front face of the building and is therefore shown in end view in these Figures. In Figure 6, the antenna is shown at 50 and is mounted externally on the sign. In Figure 7, the antenna is shown dotted at 52 and is mounted within the sign.

In the embodiments shown in Figures 4 to 7, a miniaturised version of the base station circuitry may also be incorporated in or on the sign.

Figure 8 shows another modification. In Figure 8, the antenna 54 is mounted within a rain water drain pipe shown at 56. The drain pipe 56 may be an actual drain pipe of the building, such as serving a gutter 57, or it may be an artificial drainpipe, that is, a hollow pipe attached to the external surface of the building to provide a housing for the antenna but not actually performing the function of a drain pipe. In either case, the presence of the antenna within the drain pipe will not be externally visible. The base station may be positioned as shown at 44 or 44A in Figures 4 to 7 or elsewhere, such as within the building itself. The antenna 54 may be mounted within the drain pipe in any suitable way so as to extend vertically within it:

It will be appreciated that many modifications can be made. In particular, and using the principles disclosed, antennas for cellular telephone base stations can be mounted on or in a variety of other types of street furniture, and either the circuitry for the base station can be also incorporated therein or a circuitry for the base station can be located at a suitable adjacent point such as outside or inside a neighbouring building.

CLAIMS

1. An informational street sign, additionally incorporating or carrying at least part of a base station-antenna combination for a cellular telephone system.
2. A sign according to claim 1, in which the said part is an antenna.
3. A sign according to claim 1 or 2, in combination with circuitry for the base station which is incorporated in an enclosure and connected to the antenna.
4. A sign according to claim 3, where the enclosure is adapted to be positioned separately from the sign and connected to the antenna thereon.
5. A sign according to claim 3, in which the enclosure is carried by the sign.
6. A sign according to any one of claims 3 to 5, including means for cooling or ventilating the interior of the enclosure.
7. An item of street furniture, additionally incorporating or carrying an antenna for the base station of a cellular telephone

system, in combination with an enclosure for containing the circuitry of the base station, the enclosure being the same enclosure which includes circuitry for use in the principal function of the item of street furniture.

8. An item of street furniture according to claim 7, in which at least part of the circuitry for the base station is common with part of the circuitry for the principal function of the item of street furniture.

9. An item of street furniture according to claim 8, in which the common part of the circuitry includes power supply circuitry.

10. An item of street furniture according to claim 8 or 9, in which the common part of the circuitry includes circuitry for carrying signals to or from the base station circuitry and the circuits for the principal function of the item of street furniture.

11. An item of street furniture according to any one of claims 8 to 10, in the form of a mast carrying lighting means.

12. An item of street furniture according to any one of claims 8 to 10, comprising a mast carrying a close circuit television camera.

13. An item of street furniture according to any one of claims 8 to 10, comprising a sign.

14. An item of street furniture according to claim 13, in which the sign is a shop sign or an advertising sign.

15. An item of street furniture according to claim 13, in which the sign is a traffic sign.

16. An item of street furniture according to any one of claims 7 to 13, including means for cooling or ventilating the interior of the enclosure.

17. An enclosure for the circuitry of a base station of a cellular telephone system which receives signals from and supplies signals to an antenna of the system, the enclosure including further circuitry for controlling an item of street furniture.

18. An enclosure according to claim 17, in which part of the circuitry of the base station is common to part of the further circuitry.

19. An enclosure according to claim 18, in which the common part of the circuitry includes power supply circuitry.

20. An enclosure according to claim 18 or 19, in which the common part of the circuitry includes signalling circuitry.

21. An enclosure according to any one of claims 17 to 20, including means for cooling or ventilating the interior thereof.

22. An enclosure according to any one of claims 17 to 20, including means for controlling the ambient temperature therewithin.

23. A drain pipe or simulated drain pipe for mounting on an external surface of a building, incorporating therewithin an antenna for a base station of a cellular telephone system.

24. A drain pipe or simulated drain pipe according to claim 23, in combination with circuitry for the base station which is incorporated in an enclosure and connected to the antenna.

25. A drain pipe or simulated drain pipe according to claim 23 or 24, in which the antenna is supported therewithin and extending parallel thereto.

26. A building, having mounted vertically on an external surface thereof a drain pipe or simulated drain pipe according to any one of claims 23 to 25.

27. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figure 1 of the accompanying drawings.

28. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figure 2 of the accompanying drawings.

29. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figure 3 of the accompanying drawings.

30. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figures 3 and 4 of the accompanying drawings.

31. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figure 5 of the accompanying drawings.

32. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figure 6 of the accompanying drawings.

33. An item of street furniture incorporating or carrying at least part of a base station-antenna combination of a cellular telephone system, substantially as described with reference to Figure 7 of the accompanying drawings.

34. A drain pipe for a building and substantially as described with reference to Figure 8 of the accompanying drawings.

ABSTRACT (Figure 1)

A conventional lamp post comprises a mast (5) carrying a lamp unit (6) and with an enclosure (8) at its base, incorporating power and control circuitry for the lamp unit (6). In addition, however, one or more antennas (10,12) for the base station of a cellular telephone system is or are mounted on the mast (5). The circuitry for the base station is mounted in an enclosure (14) which is immediately adjacent to the base of the lamp post and electrically connected to the antenna (10,12). By incorporating the components of the base station on and immediately adjacent to the lamp post, a base station can be located within an urban environment and with minimal physical or visual impact. Any other suitable item of normal street furniture can be used instead of a lamp post. The circuitry of the base station can be incorporated in the item of street furniture itself, instead of in a separate enclosure (14). In suitable conditions, some of the circuitry of the base station can be common with some of the circuitry for the street furniture.

1/7




Fig. 1




Fig. 2

THIS PAGE BLANK (USPTO)




Fig. 3

THIS PAGE BLANK (USPTO)

3/7




Fig. 4

THIS PAGE BLANK (USPTO)

4/7




Fig. 5

THIS PAGE BLANK (USPTO)

5/7




Fig. 6

THIS PAGE BLANK (USPTO)

6/7.




Fig. 7

THIS PAGE BLANK (USPTO)

7/7





Fig. 8



THIS PAGE BLANK (USPTO)